

# A CHAT ABOUT TRANSVERSE *e-p* INSTABILITY

---

**Tai-Sen F. Wang**

*Los Alamos National Laboratory*


Snowmass 2001  
July 2-20, 2001

## 1. A Sketch of $e$ - $p$ Instability

### Basic Mechanism - Two Stream Instability

#### 1.1 Physical Mechanism - A Simple Picture

- (1) The instability is caused by the resonant transverse motion between the electrons and the proton beam.



Protons oscillate in betatron frequency  $\omega_\beta$ .

The electron bounce frequency inside the proton beam is

$$\omega_e \approx (c/a) \sqrt{2r_e \lambda_p} ,$$

$c$  = speed of light,  $a$  = proton beam radius,


$r_e$  = classical electron radius,  $\lambda_p$  = proton line density.

Stable for  $v_p = v_e$  and zero external force.

(2) When  $v_p \neq v_e$ , instability may occur.


Resonance condition:  $2\pi/l_p \approx \omega_e/|v_e - v_p| \propto \sqrt{\lambda_p}$ .

When  $v_e = 0$  and  $v_p \neq 0$ ,  $2\pi/l_p \approx \omega_e/v_p \propto \sqrt{\lambda_p}$  for instability. In the beam frame  $v_e = -v_p$ ,




$\omega_\beta \ll \omega_e$  for intense beams, protons move only a fraction of their oscillation in one electron bounce.


After one electron bounce:



(3) Why need  $v_p \neq v_e$  for instability?



$$\frac{d^2 Y_e}{dt^2} = -\omega_e^2 D(A', B') ,$$



$$\frac{d^2 Y_e}{dt^2} = -\omega_e^2 D(C', B') = -\omega_e^2 D(A', B') + \delta F ,$$

$\delta F$  is sinusoidal - can drive electrons into resonance.

(4) Has many experimental observations.

Has good linear analytical theory for continuous beams  
and very simple analytical theory for bunched beams.

## 1.2 Electron Sources

Background gas scattering

H<sup>-</sup> Injection and beam-foil scattering (localized)

Secondary emission from lost protons

Electron multipactoring

Almost no analytical theory for combined electron generation  
and beam dynamics.

## 1.3 Possible Candidates

ISR, BEVATRON, PSR, AGS, AGS Booster, ISIS,  
KEK-PS Booster

SNS Ring, JHF Booster, ESS Ring, Proton Driver

Not seen in AGS and ISIS.

Not certain in KEK-PS Booster. (per I. Yamane in [2])

## 2. **Experimental Observations** [1-3, 9, 15, 19, 26, 28-30, 32-37, 40, 41, 46]

Fast growing transverse oscillations of proton beam  
(accompanied by fast beam loss in PSR and AGS Booster)

In bunched beams, see broad oscillation frequency spectra with  
central frequencies  $\propto \sqrt{\lambda_p}$ .

Threshold and growth rate sensitive to vacuum (not in PSR)

Threshold and growth rate depend on clearing electrode voltage

Threshold depends on bunching rf voltage

Electron detectors or electrodes collect large amount of  
electrons when beam becomes unstable

### Examples of Observations at PSR

Bunch beam instability signals

Vertical oscillations compared with beam density

Peak frequency vs. intensity

Electron signals

Figures from R. Macek and M. Plum

# Bunched beam instability signals

23-Feb-07  
20:35:30


**C:M3**  
.5 ms  
2.15 V  
0 mV

**J:Eres(M4)**  
.5 ms  
0.64 V  
-- --


**B:Eres(M2)**  
.5 ms  
0.60 V  
-- --

**A:Eres(M1)**  
.5 ms  
0.96 V  
-- --

.2 ms



# Vertical oscillations compared with beam density




- Vertical difference signals (blue) from a short stripline BPM and beam pulses from a wall current monitor (red).
  - ◆ WM41VD.4B
  - ◆ WC41.4B
  - ◆ Data taken Apr. 14, 1997
  - ◆ Data at t, t+115  $\mu\text{s}$ , t+230  $\mu\text{s}$ , t+345  $\mu\text{s}$



# Peak frequency vs. intensity

---

- The peak in the signal spectrum depends on the beam intensity.
- Top spectrum is twice the intensity of the bottom spectrum
- Beam conditions for the top and bottom spectra are the same except for the beam intensity and the buncher voltage.




$$f = \frac{1}{2\pi} \sqrt{\frac{2Nr_e c^2 (1 - \eta_e)}{\pi b(a + b)R}}$$

SRWM41 ΔV from 13/Apr97 data.  
WM41VD.4C, SRWM41VD.4F


## Electron signals

- ED02X located just after stripping foil in section 0, ED42Y in straight portion of section 4

ED02X for several repeller voltages  
(8  $\mu\text{C}/\text{pulse beam}$ )



ED42Y Signals for various repeller voltages  
8  $\mu\text{C}/\text{pulse beam}$



### 3. Theoretical Developments [1, 2, 4-8, 10-14, 16-25, 27, 31, 32, 36, 38-45]

#### 3.1 Analytical Studies

"Classical" Continuous Beam Analysis [7, 11, 12, 14, 21, 23, 27, 36, 38, 42-46]

Based on the dispersion relation derived from kinetic theory or centroid model of uniform line densities (frequency domain analysis):

$$(\omega_e^2 - \omega^2) [\omega_\beta^2 + \omega_p^2 - (n\Omega - \omega)^2] = \omega_e^2 \omega_p^2 f_e g_p ,$$

and its variations, where

$\omega_p$  = proton bounce frequency due to electrons (when  $\omega_\beta = 0$ ),

$\omega$  = frequency of the  $e$ - $p$  mode,

$n$  = azimuthal harmonic of the  $e$ - $p$  mode,

$\Omega$  = proton revolution frequency,

$g_p$  = function of proton oscillation frequency spread,

= 1 at zero spread,

$f_e$  = function of electron oscillation frequency spread,

= 1 at zero spread.

Growth rate is given by  $\text{Im}(\omega) > 0$ , instability threshold is found by solving  $\text{Im}(\omega) = 0$ .

## Analysis for Long Bunched Beam [4]

Based on centroid model with non-uniform line densities

Treats the problem as initial value problem (time domain solution)

The solution for the proton centroid  $Y_p(z', t)$ :

$$Y_p(z', t) \sim \left\{ J(z') / [\omega_\beta(t - z'/v_p)]^3 \right\}^{1/4} \xi(z') \Phi(z'/v_p) \\ \times \exp \{ -i\omega_\beta(t - z'/v_p) - \Delta_p(t - z'/v_p) - \Delta_e(z'/v_p) \\ + \sqrt{2\omega_\beta J(z')(t - z'/v_p) - iJ(z')/4} \} ,$$

where

$$J(z') = i \int_0^{z'/v_p} \frac{\omega_e^2(x) \xi(v_p x)}{W(x)} \Phi(x) \Psi(x) dx ,$$

$t$  = time,  $i = \sqrt{-1}$ ,  $\xi(z') = 2r_p c^2 \lambda_e(z') / (a^2 \gamma \omega_\beta)$ ,

$z'$  = axial coordinate in the beam frame (origin at bunch head),

$r_p$  = classical proton radius,  $\Delta_p$ ,  $\Delta_e$  = the oscillation frequency spreads among the protons and electrons, respectively,

$\gamma = (1 - v/c)^{-1/2}$ ,  $W(x)$  = Wronskian of  $\Phi$  and  $\Psi$ ;

$\Phi$ ,  $\Psi$  = linear independent solutions of the equation


$$\frac{d^2 Y}{dt^2} + \omega_e^2(t) Y = 0 .$$

## 3.2 Computer Simulations

### Continuous Beams [1, 5, 13, 16, 22]

Thorough 3d  $\Delta f$  simulations based on self-consistent equilibrium models compute mode configurations, instability thresholds and growth rates for both linear and nonlinear growth regimes.

Figure from H. Qin et al. [5]




## Single-Bunch Beam [1, 2, 17, 31]

1.5d simulations using centroid model and a simple electron SE model produce plausible simulated BMP signals. Main results:

$e$ - $p$  mode grows in both space and time. Frequency  $\propto \sqrt{\lambda_p}$ .

Proton beam carries the memory of oscillations. Resonant coherent electron motion develops in a few electron bounces. Multi-turn trapping of electrons is not a necessary condition for instability, but does lower the threshold.


Figure from T. Wang [31]



## Electron Cloud Study [1, 6]

2d or 3d computations of electron dynamics using more detailed SE models for equilibrium proton beams. Produced electron detector signals and energy spectra similar to the observations in PSR.

Figure from M. Furman and M. Pivi [6]



## 4. Possible Preventions and Remedies

Good Vacuum	Has pronounced effect in ISR. Affects the beam stability in PSR little.
Landau Damping	Increase tune spread (more momentum spread or nonlinear lenses), or, couple x-y motion at the cost of emittance growth.
Clearing Electrodes	Effective in ISR.
Beam Shaking	Worked at ISR, but not for PSR. Causes emittance growth.
Active Damping	Partly worked in BEVATRON.
Solenoid	Demonstrated in KEK $e^+e^-$ collider for reducing trapped electrons.
TiN Coating	Decreases SEY. Seen at PSR as reduced number of electrons collected on the beam pipe.



## 5. ISIS - PSR Puzzle

ISIS and PSR have some similarities. Still don't know why  $e$ - $p$  instability not seen in ISIS for both bunched and unbunched beams at  $10^{13}$  ppp.

Conjecture: the shielding due to the rf-cage (wires) may reduce trapped electrons (?)

Photo from I. Gardner





Figure from S. Kurennoy



## 6. References

The following is a list of publicly accessible papers directly related to the electron-proton (e-p) instability and the instability observed in the Proton Storage Ring at Los Alamos. Omitted from the roll are the individual internal reports like PSR Technical Notes as well as the technical notes from AT, MP and AOT Divisions of Los Alamos National Laboratory. The collection certainly is not inclusive, but it does contain the most of the important ones. Furthermore, this list is not intended to be a bibliography of the underlying physics and related methods of analyses. Thus, many papers in the areas of electron-positron instability, electron-beam and trapped-ion instability, and beam-plasma interaction, though discuss about the same type of physics and approaches of analysis with the e-p instability, are not included.

### Proceedings:

1. Presentations at the ICFA 8th Beam Dynamics Mini-Workshop on Two-Stream Instabilities in Particle Accelerators and Storage Rings, Feb. 16 - 18, 2000, Santa Fe, New Mexico. In particular, Session I. Electron Cloud Effects and Two-Stream Instabilities at High Intensity, Medium Energy Proton Rings. Presentations can be accessed at the web site:  
<http://www.aps.anl.gov/conferences/icfa/two-stream.html>.
2. Proceedings of the Santa Fe Workshop on Electron Effects, ed. T. F. Wang and A. Jason, Los Alamos National Laboratory Report LA-UR-98-1601, May 1998.

### Papers:

3. R. J. Macek, A. Browman, D Fitzgerald, R. McCrady, F. Merrill, M. Plum, T. Spickermann, T. S. Wang, J. Griffin, K.Y. Ng, D. Wildman, K. Harkay, R. Kustom, R. Rosenberg, Electron Proton Two-Stream Instability at the PSR, presented at 2001 Particle Accelerator Conference, Chicago, IL, June 18 – 22, 2001, to be published in the Proceedings.

4. T.-S. F. Wang, P. J. Channell, R. J. Macek, and R. C. Davidson, Transverse Electron-Proton Two-Stream Instability in a Bunched Beam, presented at 2001 Particle Accelerator Conference, Chicago, IL, June 18 – 22, 2001, to be published in the Proceedings.
5. H. Qin, R. C. Davidson, E. Startsev, and W. W. Lee, 3D Simulation Studies of the Two-Stream Instability in Intense Particle Beams Based on the Vlasov-Maxwell Equations, presented at 2001 Particle Accelerator Conference, Chicago, IL, June 18 – 22, 2001, to be published in the Proceedings.
6. M. A. Furman and M. Pivi, Simulation Results for the Electron-Cloud at the PSR, presented at 2001 Particle Accelerator Conference, Chicago, IL, June 18 – 22, 2001, to be published in the Proceedings.
7. H. S. Uhm, and R. C. Davidson, Vlasov-Maxwell Description of Axisymmetric Two-Stream Instability in High-Intensity Particle Beams, presented at 2001 Particle Accelerator Conference, Chicago, IL, June 18 – 22, 2001, to be published in the Proceedings.
8. V. Dudnikov, Some Features of Transverse Instability of Partly Compensated Proton Beams, presented at 2001 Particle Accelerator Conference, Chicago, IL, June 18 – 22, 2001, to be published in the Proceedings.
9. R. Macek, et al., New Developments on the e-p Instability at PSR, presentation at ICANS-XV, Nov. 6-9, 2000, KEK, Tsukuba, Japan, to be published in the Proceedings.
10. J. Wei, Synchrotrons and Accumulators for High Intensity Protons: Issues and Experiences, presented at the European Particle Accelerator Conference 2000, June 26-30, 2000, Vienna, Austria.
11. M. Blaskiewicz, Implications of the PSR Instability for the SNS, presented at the European Particle Accelerator Conference 2000, June 26-30, 2000, Vienna, Austria.
12. R. C. Davidson and H. S. Uhm, Effects of a Solenoidal Focusing Field on the Electron-Ion Two-Stream Instability in High-Intensity Ion Beams, submitted for publication, 2000.

13. H. Qin, R. C. Davidson, and W. W. Lee, 3D Nonlinear Perturbative Particle Simulations of Two-Stream Collective Processes in Intense Particle Beams, *Phys. Letters*, **A272** (2000) 389.
14. R. C. Davidson and Hong Qin, Effects of Axial Momentum Spread on the Electron-Ion Two-Stream Instability in High-Intensity Ion Beams, *Phys. Letters*, **A270** (2000) 177.
15. R. Macek, Status of PSR Instability, presented at the Workshop in Instabilities of High Intensity Hadron Beams in Rings, June. 28 - July 1, 1999, BNL, Upton, NY. <http://www.agsrhichome.bnl.gov/AGS/Workshop99/papers/>
16. H. Qin, R. C. Davidson, and W. W. Lee, 3D Multispecies Nonlinear Perturbative Particle Simulation of Intense particle Beams, *Proc. of the Workshop in Instabilities of High Intensity Hadron Beams in Rings*, June. 28 - July 1, 1999, BNL, Upton, NY (AIP Conf. Proc. 496), p. 295 (1999).
17. T. Wang, A Simple Simulation of Electron-Proton Instability, *Proc. of the Workshop in Instabilities of High Intensity Hadron Beams in Rings*, June. 28 - July 1, 1999, BNL, Upton, NY (AIP Conf. Proc. 496), p. 305 (1999).
18. V. Danilov, A. Aleksandrov, J. Galambos, D. Jeon, J. Holmes, and D. Olsen, Multipacting on the Trailing Edge of Proton Beam Bunches in the PSR and SNS, *Proc. of the Workshop in Instabilities of High Intensity Hadron Beams in Rings*, June. 28 - July 1, 1999, BNL, Upton, NY (AIP Conf. Proc. 496), p. 315 (1999).
19. M. Blaskiewicz, The Fast Loss Electron Proton Instability, *Proc. of the Workshop in Instabilities of High Intensity Hadron Beams in Rings*, June. 28 - July 1, 1999, BNL, Upton, NY (AIP Conf. Proc. 496), p. 321 (1999).
20. S. Heifets, G. Stupakov, and V. Danilov, Comment to the Kinematics of e-p Multipactoring, *Proc. of the Workshop in Instabilities of High Intensity Hadron Beams in Rings*, June. 28 - July 1, 1999, BNL, Upton, NY (AIP Conf. Proc. 496), p. 381 (1999).
21. R. C. Davidson, H. Qin, and T. F. Wang, Vlasov-Maxwell Description of Electron-Proton Two-Stream Instability in High-Intensity Linacs and Storage Rings, *Phys. Letters*, **A252** (1999) 213.

22. H. Qin, R. C. Davidson, and W. W. Lee, 3D Multispecies Nonlinear Perturbative Particle Simulation of Intense Particle Beams, Proc. of 1999 Particle Accelerator Conf., Vol. 3, p. 1628.
23. R. C. Davidson, H. Qin, W. W. Lee, and T. F. Wang, Kinetic Description of Electron-Ion Instability in High-Intensity Linacs and Storage Rings, Proc. of 1999 Particle Accelerator Conf., Vol. 3, p. 1623.
24. M. Blaskiewicz, Instabilities in the SNS, Proc. of 1999 Particle Accelerator Conf., Vol. 3, p. 1613.
25. V. Danilov, J. Galambos, D. Jeon, J. Holmes, D. Olsen, D. Fitzgerald, R. Macek, M. Plum, J. Griffin, and A. Burov, a Study on the Possibility to Increase the PSR e-p Instability Threshold, Proc. of 1999 Particle Accelerator Conf., Vol. 2, p. 1203.
26. M. A. Plum, D. H. Fitzgerald, J. Langenbrunner, R. J. Macek, F. E. Merrill, F. Neri, H. A. Thiessen, P. L. Walstrom, J. E. Griffin, K. Y. Ng, Z. B. Qian, D. Wildman, B. A. Prichard, Experimental study of passive compensation of space charge at the Los Alamos National Laboratory Proton Storage Ring, Phys. Rev. ST Accel. Beams, **2**, 064201 (1999)
27. R. C. Davidson, H. Qin, P. H. Stoltz, and T. F. Wang, Kinetic Description of Electron-Proton Instability in High-Intensity Linacs and Storage Rings Based on the Vlasov-Maxwell Equations, Phys. Rev. ST Accel. Beams, **2**, 054401 (1999).
28. M. A. Plum, D. H. Fitzgerald, D. Johnson, J. Langenbrunner, R. J. Macek, F. Merrill, P. Morton, B. Prichard, O. Sander, M. Shulze, H. A. Thiessen, T. S. Wang, and C. A. Wilkinson, Experimental Evidence for the Los Alamos Proton Storage Ring Beam Instability, Proc. of 1997 Particle Accelerator Conf., p. 1611.
29. T. Wang, P. J. Channell, R. K. Cooper, D. H. Fitzgerald, T. Hardek, R. Hutson, A. J. Jason, R. J. Macek, M. A. Plum, C. Wilkinson, and E. Colton, Recent Progress on Beam Stability Studies in the PSR, Proc. of 1995 Particle Accelerator Conf., Vol. 5, p. 3146.



30. M. Plum, J. Allen, M. Borden, D. Fitzgerald, R. Macek, and T. S. Wang, Electron Clearing in the Los Alamos Proton Storage Ring, Proc. of 1995 Particle Accelerator Conf. and Int. Conf. on High Energy Accelerators, Vol. 5, p. 3406.
31. T. Wang, A Theoretical Study of the Electron-Proton Instability, Proc. of 1995 Particle Accelerator Conf. and Int. Conf. On High Energy Accelerators, Vol. 5, p. 3143.
32. D. Neuffer and C. Ohmori, Calculations of the Conditions for Bunch Leakage in the Los Alamos Proton Storage Ring, Nucl. Instrum. Methods Phys. Res., **A343**, 390 (1994).
33. T. Wang, R. Cooper, D. Fitzgerald, S. Frankle, T. Hardek, R. Hutson, R. Macek, C. Ohmori, M. Plum, H. Thiessen, C. Wilkinson, E. Colton, D. Neuffer, and G. Rees, Recent Study of Beam Stability in the PSR, Proc. of 1993 Particle Accelerator Conf., Vol. 5, p. 3297.
34. T. Hardek, R. Macek, M. Plum, and T.-S. Wang, Beam Pinging, Sweeping, Shaking and Electron/Ion Collecting at the Proton Storage Ring, Proc. of 1993 Particle Accelerator Conf., Vol. 3, p. 2319.
35. D. Neuffer, E. Colton, D. Fitzgerald, T. Hardek, R. Hutson, R. Macek, M. Plum, H. Thiessen, and T.-S. Wang, Observations of a Fast Transverse Instability in the PSR, Nucl. Instrum. Methods Phys. Res., **A 321**, 1 (1992).
36. D. Neuffer, Calculations of the Conditions for Bunched-Beam e-p Instability in the Los Alamos Proton Storage Ring (PSR), Proc. of 1991 Particle Accelerator Conf., p. 1077.
37. E. Colton, D. Fitzgerald, T. Hardek, R. Macek, M. Plum, H. Thiessen, T. Wang, and D. Neuffer, Observations of the PSR Transverse Instability, Proc. of 1991 Particle Accelerator Conf., Vol. 3, p. 1896.
38. D. Neuffer and T. Wang, Electron-Proton Instability in the PSR and AHF, Proc. of the Advanced Hadron Facility Accelerator Design Workshop, Feb. 20-25, 1989, p. 794.

39. T. Wang, A. Pisent, and D. Neuffer, Unbunched beam Electron-Proton Instability in the PSR and Advanced Hadron Facilities, Proc. of the Advanced Hadron Facility Accelerator Design Workshop, Feb. 20-25, 1989, p. 818.
40. E. P. Colton, D. Neuffer, G. Swain, H. A. Thiessen, A. Lombardi, and T.-S. Wang, Transverse Collective Instability in the PSR, Proc. of 1989 Particle Accelerator Conf., Vol. 2, p. 1202.
41. D. Neuffer, E. Colton, G. Swain, H. A. Thiessen, B. Blind, A. Jason, G. Lawrence, R. Shafer, T. Hardek, J. Hurd, R. Macek, and M. Plum, Transverse Collective Instability in the PSR, Particle Accelerator, 23 (1988) 133.
42. L. J. Laslett, A. M. Sessler, and D. Möhl, Transverse Two-Stream Instability in the Presence of Strong Species-Species and Image Forces, Nucl. Instrum. Methods, **121** (1974) 517.
43. H. Schönauer and B. Zotter, Electron-Proton Instability in the ISR, CERN Internal Note, May 1972.
44. D. G. Koshkarev and P. R. Zenkevich, Resonance of Coupled Transverse Oscillations in Two Circular Beams, Particle Accelerator, **3** (1972) 1.
45. E. Keil and B. Zotter, Landau-Damping of Coupled Electron-Proton Oscillations, CERN Internal Note CERN-ISR-TH/71-58, Dec. 1971.
46. H. A. Gruner and G. R. Lambertson, Transverse Beam Instabilities at the Bevatron, Proc. of the 8th International Conf. on High Energy Accelerators, CERN, 1971, p. 308.